

Static risk-averse models with applications to
mining

Ph.D. student: Gianpiero Canessa Gisseleire
Advisor: Bernardo K. Pagnoncelli

September 9, 2020

Contents

List of Figures	4
List of Tables	5
1 Introduction	6
1.1 Motivation	6
1.2 Acknowledgements	8
2 Bibliographic Review	10
2.1 Binary IIS Algorithm	10
2.2 Risk-averse Ultimate Pit Problem	11
3 Binary IIS Algorithm	13
3.1 Introduction	13
3.2 Infeasible irreducible subsystems	15
3.2.1 The deterministic equivalent formulation	15
3.2.2 Irreducibly infeasible subsystems	16
3.2.3 IIS and CCP Problems	17
3.3 Strategies to solve binary CCP	19
3.3.1 Efficient Upper Bound Generation	19
3.3.2 The choice of ϵ for binary problems	20
3.4 The algorithm	22
3.4.1 Preliminaries	22
3.4.2 IIS branch-and-cut algorithm	23
3.5 Numerical experiments	25
3.5.1 Stochastic Set Covering Problem	25
3.5.2 Vaccine Allocation Problem	28
3.6 Conclusions	31
4 Risk-averse UP problem	33
4.1 Introduction	33
4.2 Ultimate Pit problem and nested pits	34
4.2.1 UP problem	34
4.2.2 Nested pits	36

<i>CONTENTS</i>	3
4.3 Risk measurement	37
4.3.1 Defining risk under ore grade uncertainty	37
4.3.2 The Entropic risk measure	39
4.4 Computational results	39
4.4.1 Small mine	40
4.4.2 Andina case	43
4.5 Conclusions	46
5 Bibliography	47
A Risk-averse UP Problem	51
A.1 Mathematical proofs	51
A.1.1 Risk-nestedness for the UP problem of the entropic measure	51
A.1.2 Proof of Lemma 1	52
A.1.3 Proof of Lemma 2	52
A.2 Other Lemmas and Propositions of interest	53
A.3 Entropic risk objective function linearization	54

List of Figures

1.1	Number of publications in Scopus under the tag <i>stochastic optimization</i> from 2000 to 2019.	6
3.1	The set Q	17
3.2	Performance comparison between instances.	29
4.1	Example of nested pits.	36
4.2	Three blocks.	38
4.3	Topology of the small mine: blue means the block is part of set of precedent blocks of block b	40
4.4	Configuration of the blocks in the small mine.	41
4.5	Configuration of the pits obtained with different values of α and changing the variance-covariance configuration.	42
4.6	Configuration of the pits obtained with different values of β	42
4.7	Negative profits per scenario for the Andina case.	45
4.8	Comparing pits of both models.	45
A.1	Subgradient linear approximation of $\exp(x)$ using $K = 4$ support points where $U = \{-2, -1, 0, 1\}$	55

List of Tables

- 3.1 Comparison of performance between Gurobi and IISBAC using different sample sizes in `scp41`. 27
- 3.2 Comparison of performance between Gurobi and IISBAC using different sample sizes in `scpa1`. 28
- 3.3 Problem sizes for vaccination test instances. $\alpha = 0.05$ 29
- 3.4 Larger samples (1,000 and 2,000) results using $\alpha = 0.05$. * final gap 1.5%. 30

- 4.1 Comparison of mining preference under CVaR. 38
- 4.2 Table of descriptive statistics for NP of the out of sample results. 44
- 4.3 Table of descriptive statistics for Ent of the out of sample results. 44